

## Intrinsic Instability of the Hybrid Halide Perovskite Semiconductor $\text{CH}_3\text{NH}_3\text{PbI}_3$ \*

Yue-Yu Zhang(张越宇)<sup>1</sup>, Shiyou Chen(陈时友)<sup>2\*\*</sup>, Peng Xu(许朋)<sup>1</sup>, Hongjun Xiang(向红军)<sup>1</sup>,  
Xin-Gao Gong(龚新高)<sup>1\*\*</sup>, Aron Walsh<sup>3</sup>, Su-Huai Wei(魏苏淮)<sup>4</sup>

<sup>1</sup>Key Laboratory for Computational Physical Sciences (MOE), State Key Laboratory of Surface Physics, and  
Department of Physics, Fudan University, Shanghai 200433

<sup>2</sup>Key Laboratory of Polar Materials and Devices (MOE), East China Normal University, Shanghai 200241

<sup>3</sup>Center for Sustainable Chemical Technologies and Department of Chemistry, University of Bath, Bath BA2 7AY, UK

<sup>4</sup>Beijing Computational Science Research Center, Beijing 100094

(Received 9 February 2018)

The organic-inorganic hybrid perovskite  $\text{CH}_3\text{NH}_3\text{PbI}_3$  has attracted significant interest for its high performance in converting solar light into electrical power with an efficiency exceeding 20%. Unfortunately, chemical stability is one major challenge in the development of  $\text{CH}_3\text{NH}_3\text{PbI}_3$  solar cells. It was commonly assumed that moisture or oxygen in the environment causes the poor stability of hybrid halide perovskites, however, here we show from the first-principles calculations that the room-temperature tetragonal phase of  $\text{CH}_3\text{NH}_3\text{PbI}_3$  is thermodynamically unstable with respect to the phase separation into  $\text{CH}_3\text{NH}_3\text{I} + \text{PbI}_2$ , i.e., the disproportionation is exothermic, independent of the humidity or oxygen in the atmosphere. When the structure is distorted to the low-temperature orthorhombic phase, the energetic cost of separation increases, but remains small. Contributions from vibrational and configurational entropy at room temperature have been considered, but the instability of  $\text{CH}_3\text{NH}_3\text{PbI}_3$  is unchanged. When I is replaced by Br or Cl, Pb by Sn, or the organic cation  $\text{CH}_3\text{NH}_3$  by inorganic Cs, the perovskites become more stable and do not phase-separate spontaneously. Our study highlights that the poor chemical stability is intrinsic to  $\text{CH}_3\text{NH}_3\text{PbI}_3$  and suggests that element-substitution may solve the chemical stability problem in hybrid halide perovskite solar cells.

PACS: 61.72.J-, 61.50.Ah, 71.20.Nr, 71.55.Gs

DOI: 10.1088/0256-307X/35/3/036104

Inorganic-organic hybrid perovskite compounds ( $\text{CH}_3\text{NH}_3\text{PbX}_3$ ,  $X = \text{I, Br and Cl}$ ) have been intensively studied as light-harvesting semiconductors in solar cells because of their strong optical absorption and high carrier mobility.<sup>[1–9]</sup> The power conversion efficiency (PCE) increases rapidly in the past three years, and now it is over 20%,<sup>[10,11]</sup> close to the record efficiency of the conventional silicon crystal,<sup>[12,13]</sup> CdTe<sup>[14]</sup> and Cu(In,Ga)Se<sub>2</sub><sup>[15]</sup> thin film solar cells which have been studied for several decades.

Despite the competitive photovoltaic efficiency, a major challenge is the poor material stability, which remains an obstacle in the development of commercially viable  $\text{CH}_3\text{NH}_3\text{PbI}_3$  solar cells.<sup>[16–22]</sup> The degradation process of perovskite-structured  $\text{CH}_3\text{NH}_3\text{PbI}_3$  can occur easily in humid environments, thus the device fabrication should be carried out with a humidity <1%, as suggested by Grätzel and co-workers.<sup>[2]</sup> However, the microscopic origin and detailed process of the degradation is still unclear. The experiments of Niu *et al.* showed that moisture, oxy-

gen and UV radiation play a role in the degradation progress of perovskite  $\text{CH}_3\text{NH}_3\text{PbI}_3$ .<sup>[23]</sup> On the other hand, Schoonman proposed that the Pb-I components of the perovskite structure may exhibit photodecomposition similar to that of the binary halides.<sup>[24]</sup> This process is easy to understand, as the upper valence band is formed by the antibonding states of the Pb 6s–I 5p hybridization,<sup>[25,26]</sup> which increases the dispersion of the valence bands (thus small hole effective masses<sup>[27]</sup>) but also weakens the Pb-I bonds.

Although the poor stability of  $\text{CH}_3\text{NH}_3\text{PbI}_3$  can be understood from different perspectives, it is generally assumed that  $\text{CH}_3\text{NH}_3\text{PbI}_3$  is a stable compound with respect to the phase separation, i.e., it will not disproportionate spontaneously.<sup>[28]</sup> If this assumption is true, the degradation of  $\text{CH}_3\text{NH}_3\text{PbI}_3$  solar cells can be suppressed if the compound is protected from the moisture, oxygen and light-illumination. In contrast, we demonstrate that  $\text{CH}_3\text{NH}_3\text{PbI}_3$  in the room-temperature tetragonal structure is thermodynamically unstable, and phase separation into the

The work at Fudan University was supported by the Special Funds for Major State Basic Research, National Natural Science Foundation of China (NSFC), and Project of Shanghai Municipality (16520721600). S.C. was supported by NSFC under Grant No 91233121, Shanghai Rising-Star Program (14QA1401500) and CC of ECNU. The work at Bath was supported by the Royal Society, the ERC and EPSRC under Grant Nos EP/M009580/1 and EP/K016288/1. S.H.W. was supported by the National Key Research and Development Program of China under Grant No 2016YFB0700700, and the National Natural Science Foundation of China under Grant Nos 51672023, 11634003 and U1530401.

\*\*Corresponding author. Email: chensy@ee.ecnu.edu.cn; xggong@fudan.edu.cn


© 2018 Chinese Physical Society and IOP Publishing Ltd

$\text{CH}_3\text{NH}_3\text{I} + \text{PbI}_2$  is an exothermic process. Therefore, the long-term stability will be questionable even if the samples are protected from the environment. The thermodynamic stability increases in the low-temperature orthorhombic perovskite structure, but the energy cost for the phase-separation remains small. In contrast, the energy cost of separation will increase if the Pb cation is replaced by Sn or  $\text{CH}_3\text{NH}_3$  by Cs, which demonstrates that the thermodynamic potential may be tuned chemically for enhanced stability.

We employ density functional theory (DFT) for crystal structure optimization and electronic structure calculations. The ion-electron interaction is treated by the projector augmented-wave (PAW) technique,<sup>[29]</sup> as implemented in the *Vienna ab initio simulation package* (VASP).<sup>[30]</sup> Both the Perdew–Burke–Ernzerhof (PBE)<sup>[31]</sup> and the non-local vdW-TS<sup>[32]</sup> method with cutoff radius 30 Å, which describe the London dispersion interaction more accurately, are adopted. Particular attention has been paid to the calculation convergence criteria to ensure reliable energies. The energy cutoff of the plane-wave basis set is 500 eV. The 3D  $k$ -point mesh is generated by the Monkhorst-Pack scheme ( $6 \times 6 \times 6$  for cubic phase of  $\text{ABX}_3$  ( $A = \text{Cs}$ ,  $\text{CH}_3\text{NH}_3$ ,  $B = \text{Pb}$  and  $\text{Sn}$ ,  $X = \text{I}$ ,  $\text{Br}$  and  $\text{Cl}$ ),  $6 \times 6 \times 4$  for tetragonal phase;  $8 \times 8 \times 6$  for tetragonal phase of  $\text{CH}_3\text{NH}_3\text{X}$  with space group  $P4/nmm$ ,  $5 \times 5 \times 5$  for rocksalt phase). The lattice vectors and atomic positions are optimized according to the atomic forces, with a criterion that the calculated force on each atom is smaller than  $0.01 \text{ eV}/\text{Å}$ . Phonon calculations are performed by supercell approach. Real-space force constants of supercells are calculated in the density-functional perturbation theory (DFPT) as implemented in the VASP code,<sup>[30]</sup> and phonon frequencies are calculated from the force constants using the PHONOPY code.<sup>[33]</sup> Thermal properties are calculated from phonon frequencies on a sampling mesh in the reciprocal space ( $8 \times 8 \times 8$  for both cases of  $\text{CH}_3\text{NH}_3\text{PbI}_3$  and  $\text{CsSnI}_3$ ).


*Instability of  $\text{CH}_3\text{NH}_3\text{PbI}_3$ .* Similar to many  $\text{ABO}_3$  perovskite oxides,  $\text{CH}_3\text{NH}_3\text{PbI}_3$  has three temperature-dependent phases: high-temperature cubic (above 327.4 K),<sup>[34]</sup> room-temperature tetragonal (162.2–327 K),<sup>[35]</sup> and low-temperature orthorhombic structures,<sup>[34]</sup> as shown in Fig. 1. The main differences between these structures are the distortion of the Pb-I sublattice and the disorder in the  $\text{CH}_3\text{NH}_3^+$  sublattice. Here we consider the stability of the room-temperature tetragonal structures first. Previous experiments reported two tetragonal structures of  $\text{CH}_3\text{NH}_3\text{PbI}_3$  with different space groups, one in  $I4/mcm$ <sup>[34,35]</sup> and the other in  $I4cm$ .<sup>[35]</sup> The total energy of the  $I4/mcm$  phase is calculated to be

20 meV/f.u. (by the vdW-TS method) lower than the  $I4cm$  phase, and the small energy difference indicates that they may coexist. In the following calculation, the  $I4/mcm$  phase with lower energy is considered as the tetragonal phase. Although the structure of Pb-I sublattice is determined experimentally in the two tetragonal structures, there is still another structural degree of freedom in  $\text{CH}_3\text{NH}_3\text{PbI}_3$ , the orientation of the polar  $\text{CH}_3\text{NH}_3^+$  molecular cation. This is different from the inorganic perovskites such as  $\text{CsPbI}_3$ , in which the  $\text{Cs}^+$  cation has no orientation freedom. We construct a series of structures with different  $\text{CH}_3\text{NH}_3^+$  orientations and identify the lowest-energy configuration, which is close to that determined with the simulated annealing method by Agiorgousis *et al.*<sup>[36]</sup> The orientation is also compared to the orientation reported in other theoretical studies, showing that the orientation change may influence the energy by over 40 meV/f.u. The orientation with the lowest energy in our simulation cell is considered in the following discussion.



**Fig. 1.** Representation of the crystal structures of (a) cubic, (b) tetragonal (space group:  $I4cm$ ), (c) tetragonal ( $I4/mcm$ ) and (d) orthorhombic  $\text{CH}_3\text{NH}_3\text{BX}_3$  ( $B = \text{Pb}$ ,  $\text{Sn}$ ;  $X = \text{Cl}$ ,  $\text{Br}$ ,  $\text{I}$ ) perovskites. The B, X, N, C, and H atoms are presented by black, red, blue, green and pink spheres, respectively.

With the lowest-energy orientation determined for the tetragonal  $\text{CH}_3\text{NH}_3\text{PbI}_3$  structure, we now study its stability with respect to the phase separation,



Unexpectedly, the calculated energy change (listed in Table 1) shows that this reaction is exothermic (thermodynamically favorable), so it may occur spontaneously even without any moisture, oxygen or illumination in the environment, which imposes a serious limit on the stabilization of the  $\text{CH}_3\text{NH}_3\text{PbI}_3$  solar cells. From the thermodynamic point of view,

this phase-separation reaction cannot be avoided, so the long-term stability is always poor. It should be noted that the kinetic barrier may prevent the compound from phase-separation once it is formed, so  $\text{CH}_3\text{NH}_3\text{PbI}_3$  may still be stable for a certain period, which explains the fact that the synthesized

$\text{CH}_3\text{NH}_3\text{PbI}_3$  samples are stable and can work as an efficient solar cell light-harvesting material for several days.<sup>[10]</sup> As a result of the intrinsic instability, increasing the kinetic barrier of the phase-separation becomes crucial to suppressing the degradation of  $\text{CH}_3\text{NH}_3\text{PbI}_3$  solar cells.

**Table 1.** The calculated energy cost (in eV/f.u.) of the phase-separation reactions of the hybrid halide perovskites in three crystal polymorphs and with two exchange-correlation functionals (PBE and vdW-TS).

Phase-separation	Cubic		Tetragonal		Orthorhombic	
	PBE	vdW	PBE	vdW	PBE	vdW
$\text{CH}_3\text{NH}_3\text{PbI}_3 \rightarrow \text{CH}_3\text{NH}_3\text{I} + \text{PbI}_2$	-0.111	-0.119	-0.060	-0.063	-0.031	0.037
$\text{CH}_3\text{NH}_3\text{PbBr}_3 \rightarrow \text{CH}_3\text{NH}_3\text{Br} + \text{PbBr}_2$	0.043	0.014	0.077	0.065	0.068	0.106
$\text{CH}_3\text{NH}_3\text{PbCl}_3 \rightarrow \text{CH}_3\text{NH}_3\text{Cl} + \text{PbCl}_2$	0.040	0.004	0.058	0.033	0.097	0.071
$\text{CH}_3\text{NH}_3\text{SnI}_3 \rightarrow \text{CH}_3\text{NH}_3\text{I} + \text{SnI}_2$	0.070	0.076	0.248	0.129	0.239	0.141
$\text{CH}_3\text{NH}_3\text{SnBr}_3 \rightarrow \text{CH}_3\text{NH}_3\text{Br} + \text{SnBr}_2$	0.281	0.140	0.281	0.148	0.286	0.176
$\text{CH}_3\text{NH}_3\text{SnCl}_3 \rightarrow \text{CH}_3\text{NH}_3\text{Cl} + \text{SnCl}_2$	0.287	0.126	0.288	0.136	0.299	0.174
$\text{CsPbI}_3 \rightarrow \text{CsI} + \text{PbI}_2$	-0.069				0.098	
$\text{CsPbBr}_3 \rightarrow \text{CsBr} + \text{PbBr}_2$	0.127				0.209	
$\text{CsPbCl}_3 \rightarrow \text{CsCl} + \text{PbCl}_2$	0.224				0.292	
$\text{CsSnI}_3 \rightarrow \text{CsI} + \text{SnI}_2$	0.115				0.201	
$\text{CsSnBr}_3 \rightarrow \text{CsBr} + \text{SnBr}_2$	0.259				0.293	
$\text{CsSnCl}_3 \rightarrow \text{CsCl} + \text{SnCl}_2$	0.324				0.335	

Similar to the hybrid perovskites, there is orientational freedom in the structure of  $\text{CH}_3\text{NH}_3\text{I}$ ,<sup>[15,16]</sup> so we consider the energy dependence on the  $\text{CH}_3\text{NH}_3$  orientation (the change is only 4 meV/f.u., smaller than that of  $\text{CH}_3\text{NH}_3\text{PbI}_3$ ) and use the lowest-energy orientation when calculating the energy cost of reaction (1). Furthermore, the distance between organic ( $\text{CH}_3\text{NH}_3$ ) and inorganic ( $\text{PbI}_3$ ) components in the perovskite  $\text{CH}_3\text{NH}_3\text{PbI}_3$  is large, and they are bound partially by the van der Waals interaction, so we use both PBE and vdW-TS approximated exchange-correlation functionals to relax the crystal structures. In general, the PBE functional overestimates the lattice constants while the vdW-TS results agree better with the experiment results, which is consistent with the calculation by Wang *et al.* using the optb86B vdW functional.<sup>[37]</sup> The improvement can be attributed to the fact that the vdW-TS functional describes the dispersion interaction between the organic components and inorganic framework more accurately. Using both functionals, the calculated energy change of reaction (1) is always negative. Furthermore, other functionals including the local density approximation and PBEsol have also been used and the calculated energy cost is also negative. This indicates that the conclusion is not influenced by the specific approximations to the exchange-correlation functional.

Although the room-temperature tetragonal phase of  $\text{CH}_3\text{NH}_3\text{PbI}_3$  is not stable with respect to phase separation, there is still a question whether the low-temperature orthorhombic phase is stable. As is expected, the calculated energies of the low-symmetry orthorhombic and tetragonal structures and high-

symmetry cubic structures increase in order, which is common in many perovskite oxides. At low temperature, the lowest-energy orthorhombic structure is dominant, while at higher temperature, the higher-energy tetragonal and cubic structures appear.<sup>[34,38,39]</sup> Since the cubic structure has higher energy than the tetragonal one, the energy cost of its phase separation is more negative (as listed in Table 1), so the tendency for phase separation is even stronger. The orthorhombic structure has lower energy than the tetragonal one, so its phase separation costs more energy. The calculated energy cost depends on the specific quantum mechanical treatment, i.e., the PBE result is weakly exothermic, so the orthorhombic structure is still not stable, while the vdW-TS result is weakly positive, so it is stable and will not be phase-separate. Because the calculated energy cost is always small for the orthorhombic structure, the phase separation may still occur on the surface, where the crystal energy is higher and kinetic barriers are lowered. It has recently been shown that  $\text{H}_2\text{O}$  can effectively intercalate the lattice,<sup>[40]</sup> which increases the internal surface area. This is a possible microscopic mechanism for the observation that the water (moisture) can catalyze the phase separation and degradation of the  $\text{CH}_3\text{NH}_3\text{PbI}_3$  solar cells.


It should be noted that the previous calculations using the generalized gradient approximation (GGA) showed that the energy cost of the phase-separation reaction is 0.27 eV for the cubic structure,<sup>[41]</sup> in contrast with our calculated value (-0.11 eV as listed in Table 1). Another calculation study using the GGA (in the PBE form) showed that the energy cost is

0.1 eV for the tetragonal structure,<sup>[42]</sup> in contrast with our calculated value (−0.06 eV). A more recent study (published after we finished the present study) using the GGA (PBE) also showed that the energy cost is 0.11–0.14 eV for the tetragonal structure.<sup>[43]</sup> The different signs between our results and their results may be attributed to (i) the insufficient relaxation of the crystal structure of the competing phase  $\text{CH}_3\text{NH}_3\text{I}$ , or (ii) considering only the  $P4nmm$  structure and neglecting the rock salt structure of  $\text{CH}_3\text{NH}_3\text{I}$ . Our test calculations show that the energy cost of the phase-separation reaction will be about 0.1 eV for the tetragonal  $\text{CH}_3\text{NH}_3\text{PbI}_3$  if we consider only the  $P4nmm$  structure of  $\text{CH}_3\text{NH}_3\text{I}$ , which is consistent with the results in Ref. [42,43] but is unreasonable because the most stable structure of the competing phase  $\text{CH}_3\text{NH}_3\text{I}$  is neglected. Because the calculated energy cost is positive (0.11–0.14 eV) in Ref. [43], the significant decomposition effects observed experimentally during annealing of  $\text{CH}_3\text{NH}_3\text{PbI}_3$  at 85°C in inert atmosphere are called the thermal instability (The average thermal energy of 0.093 eV estimated for 85°C is rather close to the energy cost at 0.11–0.14 eV, so the decomposition and instability can be caused by the thermal energy at 85°C<sup>[43]</sup>). However, our calculated negative energy cost indicates that the decomposition effect and instability is fully intrinsic and irrelevant to the thermal energy, i.e., it can occur and is unavoidable even under very low temperature.

#### Stability Enhancement by Element Substitution.

To improve the stability of  $\text{CH}_3\text{NH}_3\text{PbI}_3$  solar cells, one possible method is to substitute the organic  $\text{CH}_3\text{NH}_3^+$  and inorganic  $\text{Pb}^{2+}$  cations, or  $\text{I}^-$  anions by similar elements, e.g., replacing  $\text{Pb}^{2+}$  by  $\text{Sn}^{2+}$ ,  $\text{I}^-$  by  $\text{Br}^-$ ,  $\text{Cl}^-$ , or  $\text{CH}_3\text{NH}_3^+$  by  $\text{Cs}^+$  and forming a series of  $\text{ABX}_3$  ( $A = \text{CH}_3\text{NH}_3$ ,  $\text{Cs}$ ,  $B = \text{Pb}$ ,  $\text{Sn}$ ,  $X = \text{I}$ ,  $\text{Br}$ ,  $\text{Cl}$ ) compounds. These elements may have different bindings with each other, so it is hopeful that the stability of the  $\text{ABX}_3$  may be enhanced relative to the phase-separated  $\text{AX} + \text{PbX}_2$  compounds. The calculated energetic cost for phase separation of these compounds is also listed in Table 1. When  $\text{I}^-$  is replaced by  $\text{Br}^-$ , the reactions become endothermic for all three structures (with both PBE and vdW calculations). Therefore  $\text{CH}_3\text{NH}_3\text{PbBr}_3$  will not phase-separate at low temperature. However, the energy cost is still small, so the long-term stability of  $\text{CH}_3\text{NH}_3\text{PbBr}_3$  is still limited. The situation in  $\text{CH}_3\text{NH}_3\text{PbCl}_3$  is at variance with that in  $\text{CH}_3\text{NH}_3\text{PbBr}_3$ . The calculated energy cost is more positive than that of  $\text{CH}_3\text{NH}_3\text{PbBr}_3$  from the PBE calculation, however, it is less positive from the vdW calculation. Here the stronger ionicity of  $\text{CH}_3\text{NH}_3\text{PbCl}_3$  may not be described accurately in the vdW-TS calculations. Comparing the PBE results of  $\text{CH}_3\text{NH}_3\text{PbBr}_3$  and  $\text{CH}_3\text{NH}_3\text{PbCl}_3$ ,

we can find that they are similar and small. It can be predicted that although the mixed phase systems  $\text{CH}_3\text{NH}_3\text{Pb}(\text{I}_{1-x}\text{Cl}_x)_3$  and  $\text{CH}_3\text{NH}_3\text{Pb}(\text{I}_{1-x}\text{Br}_x)_3$  are expected to be more stable than  $\text{CH}_3\text{NH}_3\text{PbI}_3$ ,<sup>[5,44]</sup> their long-term stability is still poor.



**Fig. 2.** The calculated energy cost of the phase separation of  $\text{ABX}_3$  ( $A = \text{CH}_3\text{NH}_3$ ,  $\text{Cs}$ ,  $B = \text{Pb}$ ,  $\text{Sn}$ ,  $X = \text{I}$ ,  $\text{Br}$ ,  $\text{Cl}$ ) in their orthorhombic structure. For  $\text{CH}_3\text{NH}_3\text{PbI}_3$ , the results of all the three structures are plotted. For the organic-inorganic hybrid perovskites, the results from both the vdW-TS and PBE functionals are plotted. Positive number indicates that the compound is stable at  $T = 0\text{K}$ .

When  $\text{Pb}$  is replaced by non-toxic  $\text{Sn}$ , enhancement of the stability becomes possible with respect to  $\text{Sn}(\text{II})$  salts. The calculated energy cost of the phase-separation reaction increases to more than 0.2 eV (the PBE result), much higher than those (all less than 0.1 eV or even negative) of the  $\text{Pb}$  compounds. The larger energy cost indicates that the  $\text{CH}_3\text{NH}_3\text{SnI}_3$ ,  $\text{CH}_3\text{NH}_3\text{SnBr}_3$  and  $\text{CH}_3\text{NH}_3\text{SnCl}_3$  will have a less tendency for phase separation. We notice that  $\text{CH}_3\text{NH}_3\text{SnI}_3$  is found to have poor stability because of the instability of  $\text{Sn}(\text{II})$ <sup>[45,46]</sup> itself with respect to oxidation. Our study confirms that the poor stability of  $\text{CH}_3\text{NH}_3\text{SnI}_3$  does not result from disproportionation (the valence of  $\text{Sn}$  is not changed in the reaction discussed here), instead it is associated with  $\text{Sn}(\text{II})$ – $\text{Sn}(\text{IV})$  oxidation processes.

Enhancement of the stability can also be achieved when the organic cation  $\text{CH}_3\text{NH}_3^+$  is replaced by the inorganic  $\text{Cs}^+$ . As shown in Table 1 and Fig. 2, the energy cost of  $\text{CsPbI}_3$  phase separation is as high as 98 meV/f.u., which means that the fully inorganic compound will not be phase-separated under low or even room temperature, and a much better long-term stability may be achieved. Comparing  $\text{CH}_3\text{NH}_3\text{PbI}_3$  and  $\text{CsPbI}_3$ , the former one has larger band gap because of the larger size of the organic cation and also has benign defect properties (no deep-level defects),<sup>[36,47–49]</sup> so it has high solar cell efficiency. In contrast, the inorganic perovskite has lower efficiency because of its smaller gap and deep-


level defects,<sup>[50]</sup> but its stability is better. This trade-off should be considered if one intends to enhance the stability of  $\text{CH}_3\text{NH}_3\text{PbI}_3$  solar cells through mixing (alloying) the A cations.

**Stability at High Temperature.** So far the stability of the perovskites is predicted according to the calculated energy change (internal energy changes at zero pressure and zero temperature for each phase) following reaction (1). The true thermodynamic stability is determined by the Gibbs free energy, which includes contributions from internal energy, pressure (which can be neglected for solids in air) and temperature (vibrational and configurational entropy). The entropy contribution can be significant at high temperatures. Next, we first discuss the influence of the vibrational entropy.

The vibration contribution to the Gibbs free energy  $G_{\text{ph}}(T)$  can be calculated based on the phonon spectrum (harmonic approximation)<sup>[51]</sup>

$$G_{\text{ph}}(T) = \sum_{q,v} \frac{\hbar\omega_{q,v}}{2} + k_{\text{B}}T \sum_{q,v} \ln \left[ 1 - \exp \left( -\frac{\hbar\omega_{q,v}}{k_{\text{B}}T} \right) \right], \quad (2)$$

where  $T$  is the temperature,  $q$  and  $v$  are the wave vector and band index, respectively, and  $\omega_{q,v}$  is the phonon frequency at  $q$  and  $v$ ;  $k_{\text{B}}$  and  $\hbar$  are the Boltzmann constant and the reduced Planck constant. The first term is the zero-point vibration energy, and the second term is the vibrational free energy. In Fig. 3(a),  $G_{\text{ph}}$  is plotted as a function of the temperature for  $\text{CH}_3\text{NH}_3\text{PbI}_3$  and the phase-separated  $\text{CH}_3\text{NH}_3\text{I} + \text{PbI}_2$ . Interestingly, the vibrational contribution is comparable for the reactant and products of phase separation, so it does not influence the energy cost or the stability of  $\text{CH}_3\text{NH}_3\text{PbI}_3$ . The negligible influence can be understood according to the character of the phonon spectrum, i.e., the high-frequency phonon modes come from the  $\text{CH}_3\text{NH}_3$  molecule (the vibration of C–N, C–H, and N–H bonds), which is similar in the  $\text{CH}_3\text{NH}_3\text{PbI}_3$  and  $\text{CH}_3\text{NH}_3\text{I}$ . Similar calculations have also been performed for  $\text{CH}_3\text{NH}_3\text{SnI}_3$  and  $\text{CsSnI}_3$ . The vibration entropy enhances the stability of  $\text{CsSnI}_3$  slightly because the vibrational free energy of  $\text{CsSnI}_3$  decreases faster than  $\text{CsI} + \text{SnI}_2$  under high temperature.



**Fig. 3.** The calculated vibrational free energy of (a)  $\text{CH}_3\text{NH}_3\text{PbI}_3$ , (b)  $\text{CH}_3\text{NH}_3\text{SnI}_3$  and (c)  $\text{CsSnI}_3$  and their competitive compounds.

Configurational entropy may also decrease the Gibbs free energy. For ordered crystal semiconductors, the configurational entropy is usually negligible. However, for the organic-inorganic hybrid perovskites the orientation freedom of  $\text{CH}_3\text{NH}_3$  molecule increases the number of configurations and thus the entropy contribution. Because this molecular rotational freedom exists in both  $\text{CH}_3\text{NH}_3\text{PbI}_3$  and  $\text{CH}_3\text{NH}_3\text{I}$ , the net effect is dampened. Our calculation shows that the energy difference of different orientations is only 4 meV in  $\text{CH}_3\text{NH}_3\text{I}$ , smaller than that in  $\text{CH}_3\text{NH}_3\text{PbI}_3$ , which indicates  $\text{CH}_3\text{NH}_3\text{I}$  may have higher configurational entropy than  $\text{CH}_3\text{NH}_3\text{PbI}_3$ , further destabilizing the perovskite structure.

In conclusion, the stability of hybrid halide perovskites  $\text{ABX}_3$  ( $A = \text{CH}_3\text{NH}_3, \text{Cs}$ ;  $B = \text{Pb}, \text{Sn}$ ;  $X = \text{I}, \text{Br}, \text{Cl}$ ) is studied with respect to the disproportiona-

tion into  $\text{AX} + \text{BX}_2$  using first-principles calculations. The high-efficiency solar cell material  $\text{CH}_3\text{NH}_3\text{PbI}_3$  in the tetragonal structure is found to be thermodynamically unstable and tends to phase separation, regardless of humidity or oxygen in the atmosphere. The orthorhombic structure is slightly more stable, i.e., the phase-separation reaction can be endothermic, but the energy cost is very small and thus the thermodynamic stability remains poor. When Pb is replaced by Sn, or the organic cation  $\text{CH}_3\text{NH}_3$  is replaced by inorganic Cs, the intrinsic stability of the perovskite phases is enhanced. Similar effects occur when the anion I is replaced by Br or Cl, but the stability enhancement is less. Our study shows that poor stability is inherent to the  $\text{CH}_3\text{NH}_3\text{PbI}_3$  compound, rather than determined by the moisture, oxygen or illumination in the environment as previously assumed. We propose that appro-

private element substitution may enhance the stability of the hybrid perovskite solar cells.

## References

- [1] Liu M, Johnston M B and Snaith H J 2013 *Nature* **501** 395
- [2] Burschka J, Pellet N, Moon S J, Humphry-Baker R, Gao P, Nazeeruddin M K and Grätzel M 2013 *Nature* **499** 316
- [3] Edri E, Kirmayer S, Mukhopadhyay S, Gartsman K, Hodes G and Cahen D 2014 *Nat. Commun.* **5** 3461
- [4] Frost J M, Butler K T, Brivio F, Hendon C H, van Schilf-gaarde M and Walsh A 2014 *Nano Lett.* **14** 2584
- [5] Lee M M, Teuscher J, Miyasaka T, Murakami T N and Snaith H J 2012 *Science* **338** 643
- [6] Marchioro A, Teuscher J, Friedrich D, Kunst M, van de Krol R, Moehl T, Grätzel M and Moser J E 2014 *Nat. Photon.* **8** 250
- [7] Xing G, Mathews N, Sun S, Lim S S, Lam Y M, Grätzel M, Mhaisalkar S and Sum T C 2013 *Science* **342** 344
- [8] Kim H S, Lee J W, Yantara N, Boix P P, Kulkarni S A, Mhaisalkar S, Grätzel M and Park N G 2013 *Nano Lett.* **13** 2412
- [9] Green M A, Ho-Baillie A and Snaith H J 2014 *Nat. Photon.* **8** 506
- [10] Zhou H, Chen Q, Li G, Luo S, Song T B, Duan H S, Hong Z, You J, Liu Y and Yang Y 2014 *Science* **345** 542
- [11] Jeon N J, Noh J H, Yang W S, Kim Y C, Ryu S, Seo J and Seok S I 2015 *Nature* **517** 476
- [12] Scandale W, Still D A, Carnera A, Della Mea G, De Sal-vador D, Milan R, Vomiero A, Baricordi S, Dalpiaz P and Fiorini M 2007 *Phys. Rev. Lett.* **98** 154801
- [13] Zeng L, Yi Y, Hong C, Liu J, Feng N, Duan X, Kimerling L and Alamariu B 2006 *Appl. Phys. Lett.* **89** 111111
- [14] Wu X 2004 *Sol. Energy* **77** 803
- [15] Chirilă A, Buecheler S, Pianezzi F, Bloesch P, Gretener C, Uhl A R, Fella C, Kranz L, Perrenoud J and Seyrling S 2011 *Nat. Mater.* **10** 857
- [16] Christians J A, Miranda Herrera P A, Kamat P V 2015 *J. Am. Chem. Soc.* **137** 1530
- [17] Wei Z, Chen H, Yan K and Yang S 2014 *Angew. Chem.* **126** 13455
- [18] De Wolf S, Holovsky J, Moon S J, Løer P, Niesen B, Ledinsky M, Haug F J, Yum J H and Ballif C 2014 *J. Phys. Chem. Lett.* **5** 1035
- [19] Lindblad R, Bi D, Park B W, Oscarsson J, Gorgoi M, Siegbahn H, Odelius M, Johansson E M and Rensmo H K 2014 *J. Phys. Chem. Lett.* **5** 648
- [20] Heo J H, Han H J, Kim D, Ahn T and Im S H 2015 *Energy Environ. Sci.* **8** 1602
- [21] Yang J, Siempelkamp B D, Liu D and Kelly T L 2015 *ACS Nano* **9** 1955
- [22] Han Y, Meyer S, Dkhissi Y, Weber K, Pringle J M, Bach U, Spiccia L and Cheng Y B 2015 *J. Mater. Chem. A* **3** 8139
- [23] Niu G, Li W, Meng F, Wang L, Dong H and Qiu Y 2014 *J. Mater. Chem. A* **2** 705
- [24] Schoonman J 2015 *Chem. Phys. Lett.* **619** 193
- [25] Lang L, Yang J H, Liu H R, Xiang H and Gong X 2014 *Phys. Lett. A* **378** 290
- [26] Umari P, Mosconi E and De Angelis F 2014 *Sci. Rep.* **4** 4467
- [27] Feng J and Xiao B 2014 *J. Phys. Chem. Lett.* **5** 1278
- [28] Yin W J, Shi T and Yan Y 2014 *Adv. Mater.* **26** 4653
- [29] Blöchl P E 1994 *Phys. Rev. B* **50** 17953
- [30] Kresse G and Hafner J 1994 *Phys. Rev. B* **49** 14251
- [31] Perdew J P, Burke K and Ernzerhof M 1996 *Phys. Rev. Lett.* **77** 3865
- [32] Bučko T, Lebègue S, Hafner J and Ángyán J 2013 *Phys. Rev. B* **87** 064110
- [33] Togo A, Oba F, Tanaka I 2008 *Phys. Rev. B* **78** 134106
- [34] Poglitsch A and Weber D 1983 *J. Chem. Phys.* **87** 5
- [35] Kawamura Y, Mashiyama H and Hasebe K 2002 *J. Phys. Soc. Jpn.* **71** 1694
- [36] Agiorgousis M L, Sun Y Y, Zeng H and Zhang S 2014 *J. Am. Chem. Soc.* **136** 14570
- [37] Wang Y, Gould T, Dobson J F, Zhang H, Yang H, Yao X and Zhao H 2014 *Phys. Chem. Chem. Phys.* **16** 1424
- [38] Zhong W, Vanderbilt D and Rabe K M 1995 *Phys. Rev. B* **52** 6301
- [39] Stoumpos C C, Malliakas C D and Kanatzidis M G 2013 *Inorg. Chem.* **52** 9019
- [40] Leguy A M A, Hu Y, Campoy-Quiles M, Alonso M I, Weber O J, Azarhoosh P, van Schilf-gaarde M, Weller M T, Bein T, Nelson J, Docampo P and Barnes P R F 2015 *Chem. Mater.* **27** 3397
- [41] Yin W J, Shi T and Yan Y 2014 *Appl. Phys. Lett.* **104** 063903
- [42] Buin A, Pietsch P, Xu J, Voznyy O, Ip A H, Comin R and Sargent E H 2014 *Nano Lett.* **14** 6281
- [43] Conings B, Drijkoningen J, Gauquelin N, Babayigit A, D'Haen J, D'Olieslaeger L, Ethirajan A, Verbeeck J, Manca J, Mosconi E, De Angelis F and Boyen H G 2015 *Adv. Energy Mater.* **5** 1500477
- [44] Noh J H, Im S H, Heo J H, Mandal T N and Seok S I 2013 *Nano Lett.* **13** 1764
- [45] Noel N K, Stranks S D, Abate A, Wehrenfennig C, Guarn-era S, Haghighirad A A, Sadhanala A, Eperon G E, Pathak S K, Johnston M B, Petrozza A, Herz L M and Snaith H J 2014 *Energy Environ. Sci.* **7** 3061
- [46] Shen Q, Ogomi Y, Chang J, Toyoda T, Fujiwara K, Yoshino K, Sato K, Yamazaki K, Akimoto M and Kuga Y 2015 *J. Mater. Chem. A* **3** 9308
- [47] Han D, Dai C and Chen S 2017 *J. Semicond.* **38** 011006
- [48] Yin W J, Yang J H, Kang J, Yan Y and Wei S H 2015 *J. Mater. Chem. A* **3** 8926
- [49] Du M H 2014 *J. Mater. Chem. A* **2** 9091
- [50] Xu P, Chen S, Xiang H J, Gong X G and Wei S H 2014 *Chem. Mater.* **26** 6068
- [51] Mounet N and Marzari N 2005 *Phys. Rev. B* **71** 205214